Express Mail #EM589154185US

A

PATENT APPLICATION TRANSMITTAL LETTER
(Large Entity)

Docket No.
EN998071

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Transmitted herewith for filing under 35 U.S.C. 111 and 37 C.F.R. 1.53 is the patent application of:

M. W. Beach, et al.

For: **PREPROCESSOR SYSTEM AND METHOD FOR REJECTION OF DUPLICATE INVOICES**

Enclosed are:

- ☒ Certificate of Mailing with Express Mail Mailing Label No. EM589154185US
- ☒ 4 sheets of drawings.
- ☐ A certified copy of a application.
- ☒ Declaration ☒ Signed. ☐ Unsigned.
- ☒ Power of Attorney
- ☒ Information Disclosure Statement
- ☐ Preliminary Amendment
- ☒ Other: **PTO-1449 & references**

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra		Rate	Fee
Total Claims	9	- 20 =	0	x	$18.00	$0.00
Indep. Claims	8	- 3 =	5	x	$78.00	$390.00
Multiple Dependent Claims (check if applicable) ☐						$0.00
					BASIC FEE	$760.00
					TOTAL FILING FEE	$1,150.00

- ☐ A check in the amount of to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. **09-0457** as described below. A duplicate copy of this sheet is enclosed.
  - ☒ Charge the amount of **$1,150.00** as filing fee.
  - ☒ Credit any overpayment.
  - ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
  - ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).

Dated: 1/29/99

Shelley M Beckstrand
Signature

Shelley M Beckstrand, Reg. No. 24,886

Attorney at Law
314 Main Street
Owego, NY 13827
Telephone: (607) 687-9913
Fax: (607) 687-7848

cc: **RECORDS**

APPLICATION

FOR

UNITED STATES LETTERS PATENT

APPLICANT NAME	M. W. Beach, et al
TITLE	Preprocessor System and Method for Rejection of Duplicate Invoices
DOCKET NO.	EN998071

INTERNATIONAL BUSINESS MACHINES CORPORATION

CERTIFICATE OF MAILING UNDER 37 CFR 1.10

I hereby certify that, on the date shown below, this correspondence is being deposited with the United States Postal Service in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C., 20231 as "Express Mail Post Office to Addressee" on 2/03/99

Mailing Label No. EM589154185US

Name of person mailing paper: Georgia Y. Brundege

Georgia Y. Brundege 2-3-99

Signature Date

PREPROCESSOR SYSTEM AND METHOD FOR REJECTION OF DUPLICATE INVOICES

Background of the Invention

Technical Field of the Invention

This invention pertains to an account payable system. More particularly, it relates to an account payable system in which duplicate invoices are identified during preprocessing, thus preventing introduction of duplicate invoices into the accounts payable data base and substantially avoiding manual processing.

Background Art

Trading partners (also referred to as vendors) submitting invoices to a SAP (accounts payable) installation often send in duplicate files, causing the accounts payable center a great deal of analysis and time to manually delete these duplicates from the production system (also referred to as the accounts payable data base).

Consequently, there is a need in the art for a system and method for avoiding much, if not all, such manual processing.

It is an object of the invention to provide an improved accounts payable system and method.

It is a further object of the invention to provide an improved accounts payable system and method in which manual deletion of duplicate files is substantially eliminated.

It is a further object of the invention to provide an improved accounts payable system and method in which duplicate invoices (input files) are identified during preprocessing to avoid introduction of duplicate invoices into the accounts payable database.

Summary of the Invention

In accordance with the invention, there is provided an accounts payable system and method. Electronic invoices received from a vendor are preprocessed to identify duplicate invoices. Invoices not identified as duplicate

invoices are introduced into an accounts payable data base for payment while invoices identified as duplicate invoices are rejected back to the vendor without being introduced into the accounts payable data base for payment.

Other features and advantages of this invention will become apparent from the following detailed description of the presently preferred embodiment of the invention, taken in conjunction with the accompanying drawings.

Brief Description of the Drawings

Figure 1 illustrates a flow diagram of the method of the invention.

Figure 2 illustrates a flow diagram of the audit invoices step of Figure 1.

Figures 3A and 3B, arranged as shown in Figure 3, illustrate a flow diagram of the system of the invention.

Best Mode for Carrying Out the Invention

Acronyms; Abbreviations; Function, Procedure and Variable Names and Definitions

(Most of these abbreviations are not intuitive in English inasmuch as they were derived from German language phrases. The code in Table 1 is written in the syntax of the ABAP/4 language, and has a syntax similar to that of SQL or the IBM DB/2 relational database language.)

AMT	Amount.
BSAK	Cleared invoices.
BELNR	SAP document number.
BELNR-LOW BELNR-SIGN BELNR-OPTION	These three variable names are used to fetch a list of documents from the purchase order history, a table of invoices that have the same vendor invoice number.
BSIK	Open invoices.
CHECK	An ABAP/4 verb which checks a condition as true or false; if true, processing continues through the current event (such as a subroutine); if false, processing returns to

	the place from which this event was called, such as from a PERFORM.
CLEAR	An ABAP/4 verb which initializes a variable or data stream to zeros or blanks, etc., depending upon the data type.
DESCRIBE	An ABAP/4 verb that means to describe the attributes of data. In the context of this invention (See Table 1, lines 66, 74, 81), the data is a table and the desired attribute is the number of rows in the table.
DOCNUM	Location (memory or register) where the IDOC number is stored.
DUP	Duplicate.
EBELN	Purchase order number.
EBELP	Purchase order item (position on purchase order).
EDI	Electronic Data Interchange.
EDIDC	IDOC control table.
EDIDD	IDOC data segment table.
EDI_Z51	An internal table used to hold purchase order items.
EKBE	Purchase order history table.
EKBE_ITAB	An internal table used to hold purchase order history for one purchase order.
EKBE_ITAB-DMBTR	Invoice amount in the purchase order

history table.

EXIT	An ABAP/4 verb which causes control to return unconditionally to the caller from this subroutine or other event.
E1EDP02	Structure (a list of field names) of the IDOC purchase order item data segment. The IDOC is stored in a table in which each row has two parts: control information, and data segment.
IDOC	Intermediate document. An invoice is a kind of IDOC; In Figure 3, there exist 824 IDOCs 138 and invoice IDOCs 152.
IDOC_CONTAINER	An internal table containing all IDOC data segments.
IDOC_CONTROL	Holding area (register or field) for IDOC control record.
IDOC_PO	Holding area (register or field) for purchase order number.
IDOC_PO-EBELN	Another holding area for purchase order number.
IDOC_PO-EBELP	Holding area for purchase order item number.
INT_ZPPOL	A temporary, internal table resident in memory for the ZPPOL table.
ITAB	Used in a table name to designate an internal table corresponding to a SAP physical table.

	An internal table is a location resident in main memory which is initialized to empty.
LIFNR	Vendor number.
MESSAGE S070	An ABAP/4 message verb meaning get message #70, a message which identifies a duplicate invoice exception.
PO	Purchase Order
PO_HISTORY_AMT	Net amount of credit/debit invoices for a vendor invoice number, purchase order item number combination.
QUALF	Field in memory that contains the qualifier value of an IDOC data segment.
REFRESH	An ABAP/4 verb: deletes all rows in an internal table.
SAP	System Application and Products for Data Processing (an English language phrase roughly equivalent to the German language phrase from which the acronym is derived).
SDATA	Field that contains the IDOC data segment application data.
SEGNAM	Segment name: a field that contains the value that identifies the data structure in an IDOC data segment.
SELECT	An ABAP/4 verb: get rows out of table.
SHKZG	Debit/credit indicator.

SNDPRN	Vendor number on IDOC control record.
SY	Structure name that contains system values available to the program.
SY-DBCNT	Data base count field; used to count number of rows returned from a SELECT from table, or to hold the value of the number of rows in an internal table.
SY-SUBRC	Return code (successful or unsuccessful) from a call (SELECT, SEARCH, etc.)
VBELN	Vendor's invoice number in ZPPAL table 136 (Figure 3A).
WF00	SAP transaction for processing workflow processes 162 (Figure 3B).
XBLNR	Vendor's invoice number in SAP financial documents.
X.12	ANSI standard: communications protocol for EDI messages.
ZEILE	Purchase order item number field in the IDOC data segment.
ZEKKN	Accounting serial number in purchase order history table EKBE, one of tables 134 (Figure 3A).
ZIPRO	The processing status field in audit log table ZPPOL 142 (Figure 3B). Values include "D" (duplicate), "P" (processed) and "E"

	(error).
ZLGNO	Preprocessor 130 log number; associated with a given file or run number.
ZPPAL	Exception log table 136 (Figure 3A).
ZPPOL	Audit log table 142 for auditing results of IDOC processing (the D, P, E entries, supra).
ZSQNO	Log sequence number
810 IDOC file	X.12 message identifier for an invoice or billing document.
824 Rejection	Application advice derived from an application program, such as preprocessor 130 or post 150.
997 Rejection	Translator 114 rejection, meaning this X.12 message received from vendor is no good.
"-"	The "-" is typically used as a separator between table name and field name, as in: tablename-fieldname and in this respect uses a DB2 or SQL-like syntax. It can also be used instead of an underscore "_" in a variable name.

In accordance with the preferred embodiment of the invention, an account payable system is provided in which duplicate invoices are identified during preprocessing, thus preventing introduction of duplicate invoices into the

accounts payable data base and substantially avoiding manual processing.

In accordance with the preferred embodiment of the invention, invoices submitted such as by electronic data interchange (EDI) to a SAP (accounts payable) installation are audited for duplicate electronic invoices prior to them being entered into the production SAP environment. This is accomplished by building the logic at the pre-processor level to audit, identify and return electronically duplicate transmissions. At the pre-processor level, all inbound invoices are sorted in credit/debit sequence. Invoices are posted (committed to the production SAP environment; that is, to the accounts payable data base) one at a time so purchase order history is current for each evaluation. Inbound invoices are sorted by credit/debit. Only debits are audited for duplicates.

Referring to Figure 1, in accordance with the method of the invention, invoices are added to an accounts payable data base in such a manner as to avoid introducing spurious data to the data base. (1) In step 80, an inbound EDI invoice file is grabbed before it is input to the data base. (2) In step, 82, invoices are audited for duplicates. (3) In step 84, upon determining a duplicate invoice, a transaction

back to the vendor is created. And (4) in step 86, posting to the accounts payable data base is done only for invoices determined during auditing not to be duplicates.

Referring to Figure 2, the auditing step 82 includes, in step 88, sorting the inbound invoices against SAP production tables for same vendor and same vendor invoice number; in step 90, sorting hits from step 88 for same purchase order billed; in step 92, sorting hits from step 90 for same items billed on purchase order; and in step 94 sorting hits from step 92 to see if any item identified has a net sum > 0. If an item has net sum ≤ 0, it is not a duplicate and is allowed in steps 98 and 86 to be posted to the accounts payable data base. If an item has net sum > 0, it is a duplicate, and a transaction back to the vendor is created in steps 96 and 84 to cancel the duplicate invoice.

Referring to Figure 3, vendor system 110 is connected over lines 201 (for submission of an 810 EDI invoice) and 203 (for receipt of messages back) to EDI mailbox 112. EDI mailbox 112 transmits invoice data to DI translator 114 over interface 205. Translator 114 is connected to production interface 122 and 810 IDOC files 124 as is represented by lines 213 and 211, respectively; receives 824 rejections 120 from 810 exception reports block 138 over lines 255 and 257;

and communicates X.12 824 rejections 118 to vendor 110 over lines 259 and 261. Preprocessor 130 is connected to production interface 122 and 810 IDOC files 124 as is represented by lines 217 and 215, respectively. Preprocessor 130 receives data from SAP purchase order and other tables 134 over interface 225; and provides data identifying duplicate invoices over line 249 to exception log tables ZPPAL 136 and over line 221 to audit log ZPPOL 142. Preprocessor 130 creates the SAP IDOC and provides output for purchase orders which are not duplicates over interface 219 to post SAP invoice/credit block 150 and over interface 223 to IDOC table 152. Post block 150 provides output over line 229 to SAP PO invoice verification file 154. Post block 150 provides a processed 'P' message to audit log ZPPOL 142 over line 269 for invoices for which no error has been identified; and an error 'E' message over line 267 for invoices which are not posted due to some processing error. Invoices which are not posted due to some processing error are communicated over line 231 to SAP workflow file 156, and, as is represented by block 162 and lines 237 and 239, these exceptions are manually worked using SAP WF00. Audit control reports 146 are communicated over lines 241 and 243 to print block 148. Old information archive data 144 is communicated over lines 245 and 247 from audit log 142 to exception log tables 247. As is

represented by line 251, exceptions and warnings reports 138 are communicated from exception log tables 136 to print block 140 over line 253 or as 824 rejections 120 over lines 255 and 257 to translator 114.

In operation, checkpoints CP0 through CP7 (represented generally by the numbered triangles in Figure 3), control the EDI process of the preferred embodiment of the invention.

Checkpoint 0: DI set-up and authorization. A vendor 110 who submits and 810 EDI invoice over line 210 to EDI mailbox must be set-up as a trading partner in DI translator 114. In accordance with the preferred embodiment of the invention, a restrictive mailbox 112 is used, and if the account user identifier (ID) is not set-up, the network sends an X.12 997 rejection 116 back to vendor 110 stating that its 810 invoice was undeliverable.

Checkpoint 1: DI translator in/out. A count is maintained of the number of invoices coming into DI translator 114 over line 205, and it must equal the number of invoices that exit DI translator as accepted invoices over line 213 or as rejected invoice records over lines 207 and 259. The dollar count coming into DI translator 114

over interface 205 is taken from the TDS segment of the incoming record.

Checkpoint 2: Pre-processor in/out. Preprocessor 130 completes and validates transactions passed through production interface 122 from DI translator 114. Preprocessor 130 generates audit control log 142 and report 146; preprocessor errors, or exception reports 138 and log 136; calculates line item accounts; deducts sales tax; adds multiple IDOCs to IDOC table 152; and creates the SAP IDOC number.

Checkpoint 3: Post, or create, SAP invoice/credit. Post SAP invoice/credit block ensures that the record and dollar count that exited from DI translator 114 match what is entered into SAP 156.

Checkpoint 4: SAP error queue for exceptions. Exceptions going into an error queue in workflow file 156 are IDOCs that fail SAP audits, such as configuration problems. Workflow file 156 contains exception messages for failed IDOCs that are handled via workflow processes. That is, when an IDOC fails it is put in a work queue. A workflow process is a job that controls what will happen with that failed IDOC. In this case, the failed IDOC

message is placed in a queue and a corresponding workflow task is sent to an SAP user id. The recipient at that user ID retrieves these messages from his mail inbox as is represented by line 237 and handles them one at a time, accessing IDOC table 152 as is represented by line 263 and SAP Wf00 block 162 to again process the IDOC and determine why the IDOC failed (see what error messages they get.)

Checkpoint 5: Pre-processor exceptions/warnings. Exceptions added to log tables 136 are IDOCs which become errors (representing duplicate invoices) as a result of the audit by preprocessor 130. Warnings added to log tables 136 represent IDOCs where preprocessor 130 recalculates an invoice, deducts sales tax, or adds multiple IDOCs. A report 140 is generated showing rejection transactions, where preprocessor 130 errors successfully resulted in an 824 rejection message 118, 120 being sent to vendor 110.

Checkpoint 6: Archive old information. Exception log tables 136 and audit log tables 142 are archived to block 144 at predefined intervals. A report shows the range of dates that are archived, and the date of archival.

Checkpoint 7: Production/Procurement interface. Production interface 122, in this preferred embodiment of

the invention, interfaces the MVS environment (above interface 122) to the AIX environment (below interface 122).

Referring to Table 1, the processing which occurs in preprocessor 130 is described in further detail. The code is in the syntax of the ABAP/4 language, which has a syntax similar to that of the SQL language.

In Table 1, lines 1-13 are the main routine for processing IDOCs that are created and for calling the duplicate invoice check routine. The flag at line 8 indicates whether or not a duplicate invoice has been found. At line 9, if this invoice is a debit invoice, then the duplicate invoice check starting at line 16 is called. Upon returning from the duplicate invoice check, processing drops down to line 13 where the duplicate invoice flag is checked and, if the flag indicates the invoice is ok, processing leaves the code of Table 1 and picks up in code (not shown) executed within post block 150 (Figure 3B). (If the duplicate invoice check at line 13 shows duplicate 'D' status, then the duplicate check routine below line 14 will have already posted the error and sent the error message back to the vendor.) Refer to the schedule of abbreviations, supra, for a description of each data and variable name.

In Table 1, lines 16 to 125 are the duplicate invoice check routine executed within preprocessor 130. In this routine, CHECK verbs are executed at lines 23, 67, 75, 82 and 89, representing the five checks comprising duplicate invoice checking in accordance with the preferred embodiment of the invention. In the logic of this embodiment of the invention, if any CHECK fails, then the invoice is not a duplicate, and execution returns to main routine at lines 1-14.

In Table 1, lines 15-23, the return code from exception log table ZPPAL 136 is tested. The CHECK at line 23 checks the return code, which is never expected to fail, and processing continues to line 27.

In Table 1, lines 24-67, all open and closed invoices for this vendor's invoice number are selected (see lines 45 and 56). If none are found, no checking is to be done, and the CHECK at line 67 will return control to the main routine. At line 27 this vendor is checked to see if it is identified as one for which duplicate invoice checking is to be performed.

In Table 1, lines 68-75, the list of vendor invoice numbers determined previously to match the one we are

checking is examined to see if there has been any previous related purchase orders. That is, is there a PO history. If there is none, then an exit from the duplicate invoice check subroutine occurs at the CHECK at line 75.

In Table 1, lines 76-82, determines if any purchase order item IDOC data segments have been identified. The CHECK at line determines if any purchase order item IDOC data segments have been identified. The result is always expected to be true, and processing continues.

In Table 1, lines 83-89, the final check is performed. This routine determines, for each item on the invoice, the sum of its purchase order history (having the same vendor's invoice number as the one being checked). If an item has a purchase order history greater than zero, the CHECK at line 89 rejects this purchase order as a duplicate.

In Table 1, lines 91 to 125, the result of duplicate invoice checking is logged to ZPPOL log 142 and ZPPAL log 136, and status is logged to IDOC table 152.

In Table 1, lines 127 to 193, several subroutines called by PERFORM verbs from the duplicate invoice checking process are set forth. FORM BUILD_EKBE_ITAB_TABLE, at lines

127-137, is the subroutine called by the PERFORM at line 73 that obtains the purchase order history for invoices that have a vendor invoice number equal to the invoice number being checked. FORM BUILD_IDOC_PO_TABLE, at lines 138 to 175, is the subroutine called by the PERFORM at lin 80 that reads in IDOC segments and gets every unique purchase order/item number combination, and generates the list of purchase order items of interest. FORM TEST_PO_HIST_WITH_PO_ITEMS, at lines 176 to 193, is the subroutine called by the PERFORM at line 88 that sums the net purchase order history amount for every purchase order item on the invoice being checked; if it finds an item with an amount greater than zero, the routine exits back to the PERFORM (line 88) and quits checking.

TABLE 1: DEBIT INVOICES DUPLICATE CHECKING

```
1  *
2  *  Debit invoices duplicate checking
3  *
4  DATA:DUP_INVOICE(1).
5  *
6  * Contained in form process-zppol (Table 142, Figure 3B)
7  *
8  DUP_INVOICE = SPACE.
9  IF INT-ZPPOL-CREDIT_DEBIT = 'D'.
10   PEFORM DUP_INVOICE_CHECK.
11   CLEAR ZPPAL.
```

```
ENDIF.
CHECK DUP_INVOICE=SPACE.
*
*
FORM DUP_INVOICE_CHECK.
*
* Break-point
*
SELECT SINGLE* FROM ZPPAL WHERE
  ZLGNO = INT_ZPPOL-ZLGNO AND
  ZSQNO = INT-ZPPOL-ZSQNO.
CHECK SY-SUBRC=00.
*
* Is the vendor to be dup invoice checked?
*
IF ZPPAL-SNDPRN IN SNDPRN.
*
* Next sentence
*
ELSE.
  EXIT.
ENDIF.
*
* Get all invoice numbers with same vendor
* invoice number to be used later for
* summing po-history by vendor invoice number.
*
* Check open documents
*
CLEAR BELNR.
REFRESH BELNR.
*
*
SELECT* FROM BSIK WHERE
    LIFNR = ZPPAL-SNDPRN AND
    XBLNR = ZPPAL-VBELN(16).
  BELNR-LOW = BSIK-BELNR.
  BELNR-SIGN = '1'.
  BELNR-OPTION = 'EQ'.
  APPEND BELNR.
ENDSELECT.
*
* Check closed documents.
*
SELECT* FROM BSAK WHERE
    LIFNR = ZPPAL-SNDPRN AND
    XBLNR = ZPPAL-VBELN(16).
  BELNR-LOW = BSAK-BELNR.
  BELNR-SIGN = '1'.
```

```
61    BELNR-OPTION = 'EQ'.
62    APPEND BELNR.
63  ENDSELECT.
64  *
65  *
66  DESCRIBE TABLE BELNR  LINES SY-DBCNT.
67  CHECK SY-DBCNT>0.
68  *
69  * Does any PO history exist for the
70  * PO on the idoc with invoices in the
71  * above BELNR ranges table?
72  *
73  PERFORM BUILD_EKBE_ITAB_TABLE.
74  DESCRIBE TABLE EKBE_ITAB LINES SY-DBCNT.
75  CHECK SY-DBCNT>0.
76  *
77  * Fetch PO-item list from the idoc.
78  *
79  INTERMEDIATE_DOCUMENT_NUMBER = INT_ZPPOL-DOCNUM.
80  PERFORM BUILD_IDOC_PO_TABLE.
81  DESCRIBE TABLE IDOC_PO LINES SY-DBCNT.
82  CHECK SY-DBCNT>0.
83  *
84  * Does at least one PO-Item on the idoc
85  * have a net PO history > zero?
86  *
87  CLEAR PO_HISTORY_AMT.
88  PERFORM TEST_PO_HIST_WITH_PO_ITEMS.
89  CHECK PO_HISTORY_AMT>0.
90  *
91  * If all the above tests were true then the
92  * invoice is a duplicate.
93  *
94  MESSAGE S070 WITH ZPPAL-VBELN(16) IDOC_POK-EBELN.
95  SKIP.
96  WRITE:/'Dup Invoice:',
97       'idoc'      ,INT_ZPPOL-DOCNUM,
98       'PO-Item'   ,IDOC_PO-EBELN,IDOC_PO-EBELP,
99       'Hist-Amt' ,PO_HISTORY_AMT,
100      ''.
101 WRITE:/'     Vendor', ZPPAL-SNDPRN,
102      'Vendor-InvNo', ZPPAL-VBELN,
103      ''.
104 PERFORM FORMAT-MESSAGE
105     USING 070 '|' ZPPAL-VBELN(16)
106                   IDOC_PO-EBELN           '' ''.
107 UPDATE ZPPAL.
108 ZPPOL-ZIPRO = 'D'.
109 UPDATE ZPPOL.
```

```
110  PERFORM STATUS_DUP_INVOICE.        "Update idoc status
111  COMMIT WORK.
112    CALL FUNCTION 'EDI_DOCUMENT_CLOSE_PROCESS'
113      EXPORTING
114        DOCUMENT NUMBER = INTERMEDIATE_DOCUMENT_NUMBER
115      IMPORTING
116        IDOC_CONTROL = EDIDC
117      EXCEPTIONS
118        DOCUMENT_NOT_OPEN    = 01
119        FAILURE_IN_DB_WRITE = 02
120        PARAMETER_ERROR      = 03
121        STATUS_SET_MISSING   = 04.
122  CLEAR ZPPAL.
123  CLEAR ZPPOL.
124  DUP_INVOICE = 'X'.
125  ENDFORM."  DUP_INVOICE_CHECK.
126  *EJECT
127  FORM  BUILD_EKBE_ITAB_TABLE.
128  CLEAR EKBE_ITAB.
129  REFRESH EKBE_ITAB.
130  SELECT *FROM EKBE INTO TABLE EKBE_ITAB WHERE
131      EBELN = INT_ZPPOL-EBELN AND
132      ZEKKN > 0                AND
133      BELNR IN BELNR.
134  SORT EKBE_ITAB BY EBELN EBELP.
135  ENDFORM." BUILD_EKBE_ITAB_TABLE.
136  *
137  *
138  FORM  BUILD_IDOC_PO_TABLE.
139    CALL FUNCTION 'EDI_DOCUMENT_OPEN_FOR_PROCESS'
140      EXPORTING
141        DOCUMENT_NUMBER = INTERMEDIATE_DOCUMENT_NUMBER
142      IMPORTING
143        IDOC_CONTROL = EDIDC
144      EXCEPTIONS
145        DOCUMENT_FOREIGN_LOCK    = 01
146        DOCUMENT_NOT_EXIST       = 02
147        DOCUMENT_NUMBER_INVALID  = 03.
148    CHECK SY-SUBRC = 00.
149  CLEAR IPOC_PO.
150  REFRESH IDOC_PO.
151  DO.
152    CALL FUNCTION 'DIC_SEGMENT_GET_NEXT'
153      EXPORTING
154        DOCUMENT_NUMBER = INTERMEDIATE_DOCUMENT_NUMBER
155      IMPORTING
156        IDOC_CONTAINER = EDIDD
157      EXCEPTIONS
158        DOCUMENT_NUMBER_INVALID  = 01
```

```
159         END_OF_DOCUMENT           = 02.
160     IF SY-SUBRC <> 00. EXIT.ENDIF."at end exit do loop
161   *** if edidd-segnam = 'EDI_Z51'.
162   ***   move z51_rec-ordnr to idoc_po_ebeln.
163   ***   move z51_rec-orpnr to idoc_po-ebelp.
164     IF EDIDD-SEGNAM = 'E1EDP02'.
165       MOVE EDIDD-SDATA     TO E1EDP02.
166       IF E1EDP02-QUALF = '001'.
167         MOVE E1EDP02-BELNR TO IDOC_PO-EBELN.
168         MOVE E1EDP02-ZEILE TO IDOC_PO-EBELP.
169         APPEND IDOC_PO.
170       ENDIF.
171     ENDIF.
172   ENDDO.
173   SORT IDOC_PO BY EBELN EBELP.
174   ENDFORM." BUILD_IDOC_PO_TABLE.
175   *---------------------------------------------------------*
176   FORM TEST_PO_HIST_WITH_PO_ITEMS.
177   LOOP AT IDOC_PO.
178     CLEAR PO_HISTORY_AMT.
179     LOOP AT EKBE_ITAB WHERE
180       EBELP = IDOC_PO-EBELP.
181       IF EKBE_ITAB-SHKZG _ 'H'.
182         PO_HISTORY_AMT =
183         PO_HISTORY_AMT + (EKBE_ITAB-DMBTR*-1).
184       ELSE.
185         PO_HISTORY_AMT =
186         PO_HISTORY_AMT + EKBE_ITAB_DMBTR.
187       ENDIF.
188     ENDLOOP. "AT EKBE_ITAB WHERE
189     IF PO_HISTORY_AMT>0.
190       EXIT.
191     ENDIF.
192   ENDLOOP." IDOC_PO.
193   ENDFORM." TEST_PO_HIST_WITH_PO_ITEMS.
```

Advantages over the Prior Art

It is an advantage of the invention that there is provided an improved accounts payable system and method.

It is an advantage of the invention that there is provided an improved accounts payable system and method in which manual deletion of duplicate files is substantially eliminated.

It is an advantage of the invention that there is provided an improved accounts payable system and method in which duplicate invoices (input files) are identified during preprocessing to avoid introduction of duplicate invoices into the accounts payable database.

Alternative Embodiments

It will be appreciated that, although specific embodiments of the invention have been described herein for purposes of illustration, various modifications may be made without departing from the spirit and scope of the invention. In particular, it is within the scope of the invention to provide a memory device, such as a transmission medium, magnetic or optical tape or disc, or the like, for storing signals for controlling the operation of a computer according to the method of the invention and/or to structure its components in accordance with the system of the

invention.

Accordingly, the scope of protection of this invention is limited only by the following claims and their equivalents.

CLAIMS

1. Method for operating an account payable computing system, comprising the steps of:

preprocessing electronic invoices received from a vendor to identify duplicate invoices;

introducing invoices not identified as duplicate invoices into an accounts payable data base; and

rejecting invoices identified as duplicate invoices back to said vendor without introducing said duplicate invoices into said accounts payable data base.

2. A method for operating a computing system, comprising the steps of:

grabbing an inbound EDI invoice file from a vendor before it is input to an accounts payable database;

auditing said inbound EDI invoice file for a duplicate invoice item;

upon determining said inbound EDI invoice is a duplicate, creating a duplicate invoice transaction back to said vendor; and

posting to said accounts payable database only those invoices determined not to be duplicates.

3. The method of claim 2, said auditing step comprising the further steps of:

first sorting said inbound EDI invoice against an accounts payable production table for same vendor and same vendor invoice number;

second sorting hits from said first sorting for same purchase order billed;

third sorting hits from said second sorting for same items billed on purchase order;

fourth sorting hits from said third sorting to identify

said inbound EDI invoice as a duplicate invoice if it contains an item having a net sum greater than zero.

4. Method for operating a computing system responsive to receipt of an electronic input invoice from a vendor, comprising the steps of:

grabbing said input invoice before it is input to an accounts payable database;

identifying previously received invoices from said vendor having the same vendor invoice identifier;

identifying said previously received invoices having the same vendor invoice identifier any items corresponding to items on said input invoice;

calculating the net sum of items on said input invoice having corresponding items on said previously received invoices;

for an input invoice having an item with a net sum greater than zero, communicating a duplicate invoice rejection message back to said vendor; and

for an input invoice having no item with a net sum greater than zero, posting said input invoice to said accounts payable database.

5. A program storage device readable by a machine, tangibly embodying a program of instructions executable by a machine to perform method steps for processing electronic input invoices from a vendor, said method steps comprising:

preprocessing said input invoices to identify duplicate invoices;

introducing invoices not identified as duplicate invoices into an accounts payable data base for payment; and

rejecting invoices identified as duplicate invoices back to said vendor without introducing said duplicate invoices into said accounts payable data base for payment.

6. A program storage device readable by a machine, tangibly embodying a program of instructions executable by a

machine to perform method steps for operating a computing system responsive to receipt of an electronic input invoice from a vendor, said method steps comprising:

grabbing said input invoice before it is input to an accounts payable database;

identifying previously received invoices from said vendor having the same vendor invoice identifier;

identifying said previously received invoices having the same vendor invoice identifier any items corresponding to items on said input invoice;

calculating the net sum of items on said input invoice having corresponding items on said previously received invoices;

for an input invoice having an item with a net sum greater than zero, communicating a duplicate invoice rejection message back to said vendor; and

for an input invoice having no item with a net sum greater than zero, posting said input invoice to said accounts payable database.

7. An article of manufacture comprising:

a computer useable medium having computer readable program code means embodied therein for operating a computing system responsive to receipt of an electronic input invoice from a vendor, the computer readable program means in said article of manufacture comprising:

computer readable program code means for causing a computer to effect grabbing said input invoice before it is input to an accounts payable database;

computer readable program code means for causing a computer to effect identifying previously received invoices from said vendor having the same vendor invoice identifier;

computer readable program code means for causing a computer to effect identifying said previously received invoices having the same vendor invoice identifier any items corresponding to items on said input invoice;

computer readable program code means for causing a computer to effect calculating the net sum of items on said input invoice having corresponding items on said previously received invoices;

computer readable program code means for causing a computer to effect for an input invoice having an item with a net sum greater than zero, communicating a duplicate invoice rejection message back to said vendor; and

computer readable program code means for causing a computer to effect for an input invoice having no item with a net sum greater than zero, posting said input invoice to said accounts payable database.

8. An article of manufacture comprising:

a computer useable medium having computer readable program code means embodied therein for processing electronic input invoices from a vendor, the computer readable program means in said article of manufacture comprising:

computer readable program code means for causing a computer to effect preprocessing said input invoices to identify duplicate invoices;

computer readable program code means for causing a computer to effect introducing invoices not identified as duplicate invoices into an accounts payable data base for payment; and

computer readable program code means for causing a computer to effect rejecting invoices identified as duplicate invoices back to said vendor without introducing said duplicate invoices into said accounts payable data base for payment.

9. A computing system responsive to receipt of an electronic input invoice from a vendor, comprising:

means for grabbing said input invoice before it is input to an accounts payable database;

means for identifying previously received invoices from said vendor having the same vendor invoice identifier;

means for identifying said previously received invoices having the same vendor invoice identifier any items corresponding to items on said input invoice;

means for calculating the net sum of items on said input invoice having corresponding items on said previously received invoices;

means, responsive to an input invoice having an item with a net sum greater than zero, for communicating a duplicate invoice rejection message back to said vendor; and

means, responsive to an input invoice having no item with a net sum greater than zero, for posting said input invoice to said accounts payable database.

PREPROCESSOR SYSTEM AND METHOD FOR REJECTION OF DUPLICATE INVOICES

Abstract of the Disclosure

An accounts payable system in which invoices submitted by electronic data interchange (EDI) foe audited for duplicate invoices prior to them being entered into the production database, or environment. Pre-processor logic audits, identifies and returns electronically duplicate transmissions. At this pre-processor level, all inbound invoices are sorted in credit/debit sequence. Invoices are posted (committed to the production accounts payable environment; that is, to the accounts payable data base) one at a time so purchase order history is current for each evaluation. Inbound invoices are sorted by credit/debit. Only debits are audited.


GRAB INBOUND EDI INVOICE FILE
80
AUDIT INVOICES FOR DUPLICATES
82
CASE: DUPLICATE INVOICE- CREATE TRANSACTION BACK TO VENDOR
84
CASE: INVOICE NOT DUPLICATE - POST INVOICE TO ACCOUNTS PAYBLE DATA BASE
86

FIG. 1


SORT INBOUND INVOICES AGAINST SAP PRODUCTION TABLES FOR SAME VENDOR AND SAME VENDOR INVOICE NUMBER
88
SORT HITS FOR SAME PURCHASE ORDER BILLED
90
SORT HITS FOR SAME ITEMS BILLED ON PURCHASE ORDER
92
NET SUM > Ø
94
YES
NO
CASE: INVOICE IS DUPLICATE
96
CASE: INVOICE NOT DUPLICATE
98

FIG. 2


VENDOR
EDI MAILBOX
201
203
110
112
209
205
116
X.12 997 REJECTION
207
TRANSLATOR
211
261
118
X.12 824 REJECTIONS
259
213
257
824 REJECTIONS
120
INBOUND PROCESS FLOW
EXCEPTIONS
122
124
PRODUCTION INTERFACE
810 IDOC FILES
255
217
215
PRINT
140
253
NEW SAP CODE
130
810 EXCEPTION REPORTS
138
249
DUPLICATE
PRE-PROCESSOR AND SAP CREATE IDOC
225
134
136
ZPPAL EXCEPTION LOG TABLES
SAP PURCHASE ORDER AND OTHER TABLES
251
219
223
221
EXCEPTIONS AND WARNINGS
'D'
247
SUBMIT JOB W/ IDOC NUMER RANGE
0
1
2
5
7

FIG. 3A



3A
3B

FIG. 3B

FIG. 3

Attorney Docket No.: EN998071

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **Preprocessor System and Method for Rejection of Duplicate Invoices**

the specification of which (check one)

__X__ is attached hereto.

_____ was filed on _____ as Application Serial No. or PCAT International Application No. _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventors certificate, or PCAT International application having a filing date before that of the application on which priority is claimed::

Prior Foreign Appplication(s):

Number	Country	Date/Month/Year	Priority Claimed

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below.

Application Number	Filing Date

I hereby claim the benefit under Title 35, United States Code, section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose information material to patentability of this application as defined in 37 CFR Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

Prior U.S. Applications:

Serial No.	Filing Date	Status (patented, pending, abandoned)

As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: David L. Adour, Reg. No. 29,604; Lawrence R. Fraley, Reg. No. 26,885; John R. Pivnichny, Reg. No. 43,001; Arthur J. Samodovitz, Reg. No. 31,297; William H. Steinberg, Reg. No. 28,540; Christopher A. Hughes, Reg. No. 26,914; Edward A. Pennington, Reg. No. 32,588; John H. Hoel, Reg. No. 26,279; Joseph C. Redmond, Jr., Reg. No. 18,753; and Shelley M Beckstrand, Reg. No. 24,886.

Send all correspondence to: Shelley M Beckstrand, P.C.
Attorney at Law
314 Main Street
Owego, NY 13827
Direct telephone calls to: (607) 687-9913 [alt: (607) 755-3268]

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

(1) Inventor: Michael W. Beach
Signature: Michael W Beach Date: 2/1/99
Residence: 971 Taft Ave., Endicott, NY 13760
Citizenship: USA
Post Office Address: Same

(2) Inventor: Gerald D. Bucinell
Signature: [signature] Date: 2/1/99
Residence: 309 Bunn Hill Rd., Vestal, NY 13850
Citizenship: USA
Post Office Address: Same

(3) Inventor: Lawrence J. Cartin
Signature: Lawrence J Cartin Date: 1-29-99
Residence: 2925 Ricky Dr., Endwell, NY 13760
Citizenship: USA
Post Office Address: Same

(4) Inventor: Louis M. Ciotoli
Signature: Louis M. Ciotoli Date: 1-29-99
Residence: 193 Jayar St., Endicott, NY 13760
Citizenship: USA
Post Office Address: Same

(5) Inventor: Theodore W. Fedorchak

Signature: Theodore W. Fedorchak Date: 1/29/99

Residence: 402 Colonial Dr., Endwell, NY 13760
Citizenship: USA
Post Office Address: Same

(6) Inventor: Robert F. Hughes

Signature: Robert F. Hughes Date: 1/29/99

Residence: 11 Spring St., Waverly, NY 14892
Citizenship: USA
Post Office Address: Same

(7) Inventor: Eileen L. Mosher

Signature: Eileen L Mosher Date: 1-29-99

Residence: 819 Conklin Rd., Binghamton NY 13903
Citizenship: USA
Post Office Address: Same

(8) Inventor: Julie M. Murphy

Signature: Julie M. Murphy Date: 1-29-99

Residence: 129 Brooks Ave., Vestal, NY 13850
Citizenship: USA
Post Office Address: Same

(9) Inventor: Scotty J. Reynolds

Signature: Scotty J Reynolds Date: 1-29-1999

Residence: 1533 Superior Place, Flower Mound, TX 75028
Citizenship: USA
Post Office Address: Same

a:\formal8.1wp